

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 913 | (simultaneous concurren\$2) AND access control AND (client user) AND (726/2-5, 7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls. 707/1,2, 8,9,10.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/05/18 13:13 |
| L2 | 158 | ((simultaneous concurren\$2) NEAR access) AND access control AND (client user) AND (726/2-5,7-10,16,17,20,21, 26-30.ccls. 713/182-186.ccls. 380/59.ccls. 707/1,2,8,9,10.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/05/18 13:13 |
| L3 | 127 | instance AND ((simultaneous concurren\$2) NEAR access) AND access control AND (client user) AND (726/2-5, 7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls. 707/1,2, 8,9,10.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/05/18 13:13 |
| L4 | 132 | multiple AND (context instance) AND ((simultaneous concurren\$2) NEAR access) AND access control AND (client user) AND (726/2-5,7-10,16,17,20,21, 26-30.ccls. 713/182-186.ccls. 380/59.ccls. 707/1,2,8,9,10.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/05/18 13:14 |
| L5 | 14 | (patient medical) AND multiple AND (context instance) AND ((simultaneous concurren\$2) NEAR access) AND access control AND (client user) AND (726/2-5, 7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls. 707/1,2, 8,9,10.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/05/18 13:27 |
| L6 | 17 | (patient medical) AND multiple AND (context instance) AND ((simultaneous concurren\$2) NEAR access) AND access control AND (client user) AND (726/2-5, 7-10,16,17,20,21,26-30.ccls. 713/155, 167,182-186.ccls. 380/59.ccls. 707/1,2, 8,9,10.ccls. 709/226.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2009/05/18 13:30 |

EAST Search History

| | | | | | | |
|----|-----|--|--|-----|----|------------------|
| S1 | 2 | "6070240".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:21 |
| S2 | 3 | "10040213" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:21 |
| S3 | 7 | user login profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:25 |
| S4 | 88 | context AND roaming AND switch\$3 AND user AND login AND profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:26 |
| S5 | 61 | context AND roaming AND switch\$3 AND user AND identity AND login AND profile AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:26 |
| S6 | 12 | context AND roaming AND switch\$3 AND user AND identity AND login AND profile AND ("380".clas. OR "713".clas. OR "726". clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:28 |
| S7 | 650 | login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:28 |
| S8 | 563 | interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:28 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S12 | 118 | log\$4 AND (management OR administration) AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/21 13:29 |
| S13 | 115 | management AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:07 |
| S14 | 119 | (management OR administration) AND account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:10 |
| S15 | 131 | account AND profile AND (content OR context) AND interface AND login AND terminal AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:13 |
| S16 | 6710 | microsoft AND windows AND user AND login | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:14 |
| S17 | 5003 | microsoft AND windows AND user AND login AND management | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:14 |
| S18 | 108 | screen saver AND microsoft AND windows AND user AND login AND management | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:17 |
| S19 | 33 | screen\$saver AND microsoft AND windows AND user AND login AND management | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:15 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S20 | 0 | screen saver AND kde AND user AND login AND management | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:17 |
| S21 | 0 | screen saver AND gnome AND user AND login AND management | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:17 |
| S22 | 123 | screen saver AND window AND user AND login AND management | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:18 |
| S23 | 30 | screen\$1saver AND window AND user AND login AND management AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:18 |
| S24 | 16 | screen\$1saver AND window AND user AND login AND management AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:29 |
| S25 | 6 | screensaver AND user AND login AND authenticat\$4 AND access AND switch\$3 AND interface AND reduc\$4 AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 10:30 |
| S26 | 581 | user login AND data processing AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 11:24 |
| S27 | 78 | user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 11:24 |
| S28 | 69 | interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 11:24 |

EAST Search History

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S29 | 41 | user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 11:25 |
| S30 | 5 | switching AND user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 11:25 |
| S31 | 1 | user switching AND user interface AND user login AND data processing AND ("380".clas. OR "713".clas. OR "726".clas.) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2006/12/27 11:25 |
| S32 | 1629 | (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3) AND (713/155, 167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/02/06 10:33 |
| S33 | 3450 | (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/02/06 10:37 |
| S34 | 382 | (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/02/06 10:37 |
| S35 | 382 | (client OR user) AND (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/02/06 10:37 |
| S36 | 292 | shar\$3 AND (client OR user) AND (logon OR login) AND authentication AND (application OR resource) AND (unload\$3 OR shutdown OR initializ\$3 OR running) AND (713/155,167.ccls. OR 709/226) AND (@pd<"20011202" or @ad<"20011202" or @prad<"20011202" or @rlad<"20011202") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/02/06 11:23 |

EAST Search History

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S37 | 7 | "7213054".pn. OR "6021496".pn. OR "6161139".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/02/06 15:45 |
| S38 | 9492 | (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 15:12 |
| S39 | 416 | (session\$1 instance\$1) AND authenticat\$3 AND (shar\$3 "same") AND medical AND (726/2-5,7-10,16,17,20,21, 26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 15:15 |
| S40 | 177 | (log\$1on log\$1in sign\$1on sign\$1in) AND (session\$1 instance\$1) AND authenticat\$3 AND (shar\$3 "same") AND medical AND (726/2-5,7-10,16,17,20,21, 26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 15:15 |
| S41 | 177 | (log\$1on log\$1in sign\$1on sign\$1in) AND (session\$1 instance\$1) AND authenticat\$3 AND (shar\$3 "same" collaborat\$3) AND medical AND (726/2-5, 7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 15:17 |
| S42 | 177 | (log\$1on log\$1in sign\$1on sign\$1in) AND (session\$1 instance\$1) AND authenticat\$3 AND (shar\$3 "same" collaborat\$3 cooperat\$3) AND medical AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 15:17 |
| S43 | 68 | (log\$1on log\$1in sign\$1on sign\$1in) AND (session\$1 instance\$1) AND authenticat\$3 AND (shar\$3 "same" collaborat\$3 cooperat\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20, 21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 15:17 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S44 | 85 | (log\$1on log\$1in sign\$1on sign\$1in) AND (session\$1 instance\$1 process) AND authenticat\$3 AND (shar\$3 "same" collaborat\$3 cooperat\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:13 |
| S45 | 0 | (log\$1on log\$1in sign\$1on sign\$1in) AND authenticat\$3 AND (process NEAR shar\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:14 |
| S46 | 1 | (process NEAR shar\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:14 |
| S47 | 2 | ((process record program) NEAR shar\$3) AND medical AND patient AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:15 |
| S48 | 23 | ((process record program) NEAR shar\$3) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:17 |
| S49 | 23 | authenticat\$3 AND ((process record program) NEAR shar\$3) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:17 |
| S51 | 140 | authenticat\$3 AND ((process record program data information) NEAR shar\$3) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:49 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S52 | 9 | edwards AND oracle AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/22 17:55 |
| S53 | 23 | (authoriz\$5 authenticat\$3 verif\$7 valid\$5) AND ((process record program) NEAR shar\$3) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:37 |
| S54 | 23 | (authoriz\$5 authenticat\$3 verif\$7 valid\$5) AND ((process record program) NEAR (shar\$3 cooperat\$3 collaborat\$3)) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:38 |
| S55 | 17 | session AND (authoriz\$5 authenticat\$3 verif\$7 valid\$5) AND ((process record program) NEAR (shar\$3 cooperat\$3 collaborat\$3)) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:38 |
| S56 | 322 | ("same" single singular exist\$3 resum\$3 maintain\$3) AND session AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:39 |
| S57 | 41 | ((("same" single singular exist\$3 resum\$3 maintain\$3) NEAR session) AND (patient medical) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:39 |
| S58 | 1 | "7441000".pn. | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:50 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S59 | 20 | session shar\$3 AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 13:57 |
| S60 | 104 | shared resource AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:10 |
| S61 | 101 | access AND (user client) AND shared resource AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:10 |
| S62 | 29 | access AND (user client) AND "same" instance AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:14 |
| S63 | 89 | shared files AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:30 |
| S64 | 48 | access control AND (user client) AND shared resource AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:30 |
| S65 | 36 | access AND (user client) AND "same" (instance instant) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:33 |
| S66 | 346 | shar\$3 (files resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:41 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|-----|----|------------------|
| S67 | 154 | Microsoft AND shar\$3 (files resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:42 |
| S68 | 154 | (client user) AND Microsoft AND shar\$3 (files resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:42 |
| S69 | 83 | access control AND (client user) AND Microsoft AND shar\$3 (files resource\$1) AND (726/2-5,7-10,16,17,20,21,26-30.ccls. 713/182-186.ccls. 380/59.ccls.) AND (@pd<"20031201" or @ad<"20031201" or @prad<"20031201" or @rlad<"20031201") | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:42 |
| S70 | 21237 | (dorn.in. murphy.in. pohley.in. schuelke.in.) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:46 |
| S71 | 70 | (dorn.in. murphy.in. pohley.in. schuelke.in.) AND user AND login AND access | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:46 |
| S72 | 22 | (dorn.in. murphy.in. pohley.in. schuelke.in.) AND user AND login AND access AND authenticat\$3 AND element | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:46 |
| S73 | 22 | (dorn.in. murphy.in. pohley.in. schuelke.in.) AND user AND login AND access AND authenticat\$3 AND element\$1 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:47 |
| S74 | 1 | (dorn.in. murphy.in. pohley.in. schuelke.in.) AND user AND login AND access AND authenticat\$3 AND element\$1 AND restart\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/23 14:47 |